STATEMENT OF WORK FOR THE

REBUILD

OF THE

MACHINE GUN, 7.62MM, M240G

NSN 1005-01-359-2714

SOW-03-833-2-09712A-1/1

2 October 2002

TABLE OF CONTENTS

Paragraph/Content		Page
1.0	SCOPE	4
1.1	Background	4
2.0	APPLICABLE DOCUMENTS	4
2.1	Military Standards	4
2.2	Other Government Documents and Publications	4
2.3	Industry Standards	. 5
3.0	REQUIREMENTS	5
3.1	General Tasks	5
3.2	Detailed Tasks	6
3.2.1	Inspections, Testing and Acceptance	6
3.2.2	Packaging, Handling, Storage, and Transportation	6
3.3	Configuration Management	7
3.4	Government Furnished Equipment (GFE)	7
	Accountability/Government Furnished Materiel (GFM)	
3.5	Contractor Furnished Materiel	8
3.6	Quality Assurance Provisions	8
3.7	Acceptance	8
3.8	Rejection	8
4.0	REPORTS	8
4.1	Monthly Progress Reports	8

STATEMENT OF WORK FOR THE REBUILD OF THE MACHINE GUN, 7.62MM, M240G NSN 1005-01-359-2714

- 1.0 <u>SCOPE</u>. This Statement of Work (SOW), establishes, sets forth tasks and identifies the work efforts that shall be performed by the Contractor (for purposes of this SOW, Contractor is defined as the commercial or government entity performing the rebuild) in the rebuild effort of the M240G Machine Gun, 7.62MM (hereafter referred to as the M240G). This document contains requirements to restore the M240G to Condition Code "A." Condition Code A is defined as "serviceable/issuable without qualification, new, used, repaired or reconditioned material which is serviceable and issuable to all customers without limitation or restriction, including material with more than six months shelf-life remaining."
- 1.1 <u>Background</u>. Rebuild is defined as "That maintenance technique to restore an item to a standard as near as possible to original or new condition in appearance, performance, and life expectancy. This is accomplished through a maintenance technique or complete disassembly of the item, inspection of all parts or components, repairs or replacement of worn or unserviceable elements using original manufacturing tolerances and/or specifications and subsequent reassembly of the items."
- 2.0 <u>APPLICABLE DOCUMENTS</u>. The following documents form a part of this SOW to the extent specified. Unless otherwise specified, the issues of these documents are those listed in the Department of Defense Index of Specifications and Standards (DoDISS) and supplement thereto which is in effect on the date of solicitation. In the event of conflict between the documents referenced herein and the contents of this SOW, the contents of this SOW shall be the superseding requirement.

2.1 Military Standards

MIL-STD-129 DoD Standard Practice for Military Marking

MIL-STD-2073-1D DoD Standard Practice for Military Packaging

2.2 Other Government Documents and Publications. The issues of those documents cited below shall be used.

DMWR-9-1005-313 Depot Maintenance Work Requirement for Machine Guns

M240, M240C, M240E1

DoD 4000.25-1-M Military Standard Requisitioned and Issue Procedures

(MILSTRIP)

MI-09111A/09712A-25/1B Upgrade Top Cover For Machine Guns, 7.62MM M240E1

And M240G

TM 08670A/09712A-23&P/2B Unit and Direct Support Maintenance Manual Machine Gun, 7.62mm, M240G

Military Handbooks (For Guidance)

MIL-HDBK 61

Configuration Management Guidance

2.3 Industry Standards

ANSI/ISO/ASQC Q9001-2000 Quality Management Systems - Requirements

Industry Standards (For Guidance)

ANSI/EIA-649

National consensus Standard for Configuration

Management

Copies of Military Specifications and Standards are available from the DoD Single StockPoint, Document Automation and Production Service, Building 4/D, 700 Robbins Avenue, Philadelphia, PA 19120-5094, commercial telephone number (215) 697-2179, DSN 442-2179, or http://www.dodssp.daps.mil. Copies of other government documents, publications or engineering drawings required by contractors in connection with specific SOW requirements shall be obtained through the Marine Corps Systems Command (Code IWS), 814 Radford Blvd., Suite 20343, Albany, Georgia 31704-0343, commercial telephone number (229) 639-5083 or DSN 567-5083.

3.0 REQUIREMENTS

- 3.1 General Tasks. In fulfilling the specified requirements, the Contractor shall:
- a. Provide materials, labor, equipment, facilities and missing/repair parts, necessary to inspect, diagnose, restore, and test the M240G. Rebuild will be in accordance with DMWR-9-1005-313 and TM 08670A/09712A-23&P/2B. Upon completion of rebuild, the subject item shall be Condition Code "A".
- b. Conduct in-process and final on-site testing witnessed by a Marine Corps Systems Command (Code PMM132, IWS), Albany, GA representative.
- 3.2 Detailed Tasks. The following tasks describe the different phases for rebuild of the M240G.

a. Hardware

(1) Replace broken, unserviceable and/or missing hardware including nuts, bolts, screws, washers, turnlock fasteners, mandatory replacement items, safety and one-time use items, etc. Unserviceable would include any of the above that failed to function properly.

- (2) Ensure proper hardware locking devices are present on all moving mechanical assemblies.
- (3) Hardware normally supplied with commercial parts shall be used unless specifically prohibited.

3.2.1 Inspection, Testing and Acceptance

- a. Inspection, Testing and Acceptance of the M240G shall be conducted in accordance with TM 08670A/09712A-23&P/2B and DMWR-9-1005-313. The contractor shall verify that MI 0911A/09712A-25/1B has been applied or apply it as required.
- b. The Contractor shall be responsible for conducting required tests and shall ensure all necessary personnel are notified prior to completion of the final acceptance. Acceptance tests shall be witnessed be a Marine Corps Systems Command (Code PMM132, IWS) Albany, Georgia, representatives with a minimum of two weeks notice prior to commencement of acceptance testing.
- c. The Contractor shall be responsible for correcting any deficiencies identified during inspection/testing. Marine Corps Systems Command (Code PMM132, IWS), Albany, Georgia, representative may require the Contractor to repeat tests or portions thereof, if the original tests fail to demonstrate compliance with this SOW.
- d. Acceptance testing on all M240G's repaired under the provisions of this SOW shall be accomplished in accordance with TM 08670A/09712A-23&P/2B and DMWR-9-1005-313.

3.2.2 Packaging, Handling, Storage, and Transportation (PHS&T).

- a. The contractor shall be responsible for preservation and packaging of item (s) being repaired under the terms of this Statement of Work. Items scheduled for long-term storage or shipment to overseas destinations shall be in accordance with level "A" requirements of MIL-STD-2073-12D, Method 41 and packed into a fabricated exterior wood box. Items scheduled for domistic shipment for immediate use or short-term storage shall be level "A" and packed into a Tri-Walled fiberboard box.
- b. Marking shall be in accordance with MIL-STD-129. Unit packs and intermediate containers shall be labeled with 1½ x 4 inch labels and shall include the NSN, nomenclature, quantity, unit of issue, month and year of pack, condition code, and serial number of the weapon. The exterior shipping container shall not be marked with any data which will identify the contents of the container. Exterior shipping containers shall be marked with the quantity, unit of issue, level, month and year of pack, and gross weight.
- c. The Marine Corps will provide the contractor with shipping address(es) for delivery of the repaired equipment. The contractor shall be responsible for arranging for shipment to the

3

pre-designated site(s). The Marine Corps will be responsible for transportation costs associated with shipping the subject equipment to and from the contractor.

- 3.3 <u>Configuration Management</u>. The contractor shall apply configuration control procedures to established configuration items. The contractor shall not implement configuration changes to an item's documented performance or design characteristics without prior written authorization. The baseline configuration has been defined by written procedures and material contained in the applicable technical publications or engineering drawings. No deviation from the approved baseline will be allowed due to safety factors. MIL-HDBK-61 and ANSI/EIA-649 provide guidance for the application of configuration control.
- 3.4 Government Furnished Equipment (GFE)/Government Furnished Materiel (GFM). The Management Control Activity (MCA/Code 573-2) will coordinate GFE/GFM requests and maintain a central control system on all government owned assets in the contractors possession. The MCA will forward a GFE Accountability Agreement to the contractor for signature on an annual basis to establish a chain of custody and identify property responsibilities for Marine Corps assets. The contractor is to acknowledge receipt of GFM to the MCA within 15 days of receipt. This can be done by mailing a copy of the DD1348 to Materiel Management Department, Management Control Activity (Code 573-2), 814 Radford Blvd., STE 20320, Albany, Georgia 31704-0320, or faxing a copy to commercial telephone number (229) 639-5498 or DSN 567-5498.
- 3.5 <u>Contractor Furnished Materiel (CFM)</u>. The Contractor may requisition materiel as required in the performance of the Statement of Work through DoD Supply System. DoD 4000.25-1-M (MILSTRIP), Chapter 11, provides guidence to contractors on the requisitioning process. The contractor's decision to utilize CFM procured from the DoD Supply System shall be based upon cost effectiveness, availability of materiel and required completion /delivery date.
- 3.6 <u>Quality Assurance Provisions</u>. The Contractor shall provide and maintain a Quality System that, as a minimum, adheres to the requirements of ANSI/ISO/ASQC Q9001-2000, Quality Management Systems Requirements.
- 3.7 <u>Acceptance</u>. The performance of the Contractor and the quality of work delivered, including all equipment furnished and documentation written or compiled, shall be subject to in-process review and inspection during performance. Inspection may be accomplished in-plant or at any work site or location, and Marine Corps Systems Command (Code PMM132, IWS) Albany, Georgia representative shall be permitted to observe the work or to conduct an inspection. Final inspection and acceptance testing on end items shall be conducted at the Contractor's Facility. Final acceptance shall be conducted on 10 percent of items to verify that the units meet all requirements.
- 3.8 <u>Rejection</u>. Failure to comply with any of the specified requirements listed herein shall be reason for rejection by Marine Corps Systems Command (Code PMM132, IWS) Albany, Georgia, representative. The Contractor shall, at no additional cost to Marine Corps Systems

4

Command (Code PMM132, IWS), Albany, Georgia, correct the deficiencies and repeat the verification until an acceptable compliance with acceptance test procedures is demonstrated.

4.0 REPORTS

4.1 <u>Monthly Progress Reports</u>. The Contractor shall provide Monthly Progress Reports summarizing the progress and status of the Rebuild Program to Marine Corps Systems Command, Attn: (Code PMM132, IWS) 814 Radford Blvd., Suite 20343, Albany, Georgia 31704-0343.

5

CONTRACT DATA REQUIREMENTS LIST Form Approved (1 Data Item) OMB No. 0704-0188 The public reporting burden for this collection of information is estimated to average 110 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquerters Services, Directorate for Information Operations and Reports (0701-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. Please DO NOT RETURN your form to the above address. Send completed form to the Government Issuing Contracting Officer for the A. CONTRACT LINE ITEM NO. B. EXHIBIT C. CATEGORY: TOP __ __ TM ____ OTHER Y D. SYSTEM/ITEM E. CONTRACT/PR NO. F. CONTRACTOR Machine Gun, 7.62MM, M240 1. DATA ITEM NO. 2. TITLE OF DATA ITEM 3. SUBTITLE 17. PRICE GROUP A001 Contractors Progress, Status, and Management Report Monthly Progress Report 4. AUTHORITY (Data Acquisition Document No.) 5. CONTRACT REFERENCE 6. REQUIRING CHARLE 18. ESTIMATED **DI-MGMT-80227 SOW 4.1** MCSC(PMM 132), Albany 7. DD 250 REQ 9. DIST STATEMENT 10. FREQUENCY 12. DATE OF FIRST SUBMISSION DISTRIBUTION 14. REQUIRED LT **MTHLY** See BLK 16 b. COPIES 8. APP CODE 11. AS OF DATE 13. DATE OF SUBSEQUENT a. ADDRESSEE See Blk 16 Draft A Α Reg Regro 16. REMARKS BIK 4 - Tailor DI-MGMT-80227 as follows: Delete paragraphs 10.3g, 10.3h, 10.3i, 10.3j, 10.3k, and 10.3n. MCSC, Albany (PM1 132) 0 0 1 Blk 12 - The reporting period shall be from the first to last business day of each month. Initial submission shall be 60 DAC. Block 13: Subsequent submissions shall be 10 days after the last busness sday of each month. Distribution Statement A: Approved for Public Release; Distribution is Unlimited.

G. PREPARED BY H. DATE J. DATE I. APPROVED BY

DD FORM 1423-1/AUG 96 (EG)

PREVIOUS EDITION MAY BE USED.

Page of Pages
Designed using Perform Pro, WHS/DIOR, Aug 96

0

15. TOTAL

TOTAL PRICE